

**RFQ NUMBER** : 2492500865

**DATE** : 18.12.2025

**REQ No** : 1172501423

REQ TITLE : Tools & Machineries for Machi

**DELIVERY LOCATION**: 0022 - M STORES, JAPS

**CLOSING DATE** : 24.12.2025

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION   | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL<br>PRICE |
|-------|-----------|------------|---|-----|-----|--------------|----------|------------|----------------|
| 1     | 700000007 |            | BOLT TIGHTER WITH SOCKETS BATTERY CHARGINGCORDLESS BATTERY OPERATED IMPACT WRENCH TO TIGHTEN BOLTS UPTO M20 NETBOLT TIGHTER WITH SO CKETS BATTERY CHARGINGWEIGHT 1.5 TO 1.8 KGS MAKITABOSCH OR EQUIVALENT | 1   | EA  |              |          |            |                |
| 2     | 700000007 |            | BOLT TIGHTER WITH SOCKETS BATTERY CHARGINGCORDLESS BATTERY OPERATED IMPACT WRENCH TO TIGHTEN BOLTS UPTO M20 NETBOLT TIGHTER WITH SO CKETS BATTERY CHARGINGWEIGHT 1.5 TO 1.8 KGS MAKITABOSCH OR EQUIVALENT | 1   | EA  |              |          |            |                |
| 3     | 700000007 |            | STRAIGHT GRINDERPOWER INPUT 500 W, NO-LOAD SPEED 33000 RPM, COLLECT CHUCK DIA. MAX. 8MM, SPINDLE COLLAR DIA. 41 MM, WEIGHT WITHOUT C ABLE 1.4 KGS. BOSCHMAKITA OR EQUIVALENT                              | 1   | EA  |              |          |            |                |
| 4     | 700000007 |            | STRAIGHT GRINDERPOWER INPUT 500 W, NO-LOAD SPEED 33000 RPM, COLLECT CHUCK DIA. MAX. 8MM, SPINDLE COLLAR DIA. 41 MM, WEIGHT WITHOUT C ABLE 1.4 KGS. BOSCHMAKITA OR EQUIVALENT                              | 1   | EA  |              |          |            |                |



**RFQ NUMBER** : 2492500865

**DATE** : 18.12.2025

**REQ No** : 1172501423

REQ TITLE : Tools & Machineries for Machi

**DELIVERY LOCATION**: 0022 - M STORES, JAPS

**CLOSING DATE** : 24.12.2025

| SL NO | ITEM CODE  | SERVICE ID | DESCRIPTION   | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL<br>PRICE |
|-------|------------|------------|---|-----|-----|--------------|----------|------------|----------------|
| 5     | 7000000007 |            | WRENCH; IMPACT; PNEUMATIC; 3/4 IN DRIVEPNEUMATIC 3/4" PROFESSIONAL IMPACT WRENCH WITH DIFFERENT DRIVE OPTIONS,MAX TORQUE 900 NM NO L OAD RPM 4500 SOCKET HOLDER 3/4" SQUARE WEIGHT 5.6KGS CONNECTING THREAD 3/8" NPT HOSE INNER DIAMETER 12MM | 1   | EA  |              |          |            |                |
| 6     | 700000007  |            | WRENCH; IMPACT; PNEUMATIC; 3/4 IN DRIVEPNEUMATIC 3/4" PROFESSIONAL IMPACT WRENCH WITH DIFFERENT DRIVE OPTIONS,MAX TORQUE 900 NM NO L OAD RPM 4500 SOCKET HOLDER 3/4" SQUARE WEIGHT 5.6KGS CONNECTING THREAD 3/8" NPT HOSE INNER DIAMETER 12MM | 1   | EA  |              |          |            |                |
| 7     | 700000007  |            | WRENCH; IMPACT; PNEUMATIC; 1/2 IN DRIVEPNEUMATIC 1/2" PROFESSIONAL IMPACT WRENCH WITH DIFFERENT DRIVE OPTIONSMAX TORQUE 900 NM NO LO AD RPM 4500 SOCKET HOLDER 1/2" SQUARE WEIGHT 5.6KGS  | 1   | EA  |              |          |            |                |
| 8     | 700000007  |            | WRENCH; IMPACT; PNEUMATIC; 1/2 IN<br>DRIVEPNEUMATIC 1/2" PROFESSIONAL IMPACT<br>WRENCH WITH DIFFERENT DRIVE OPTIONSMAX  | 1   | EA  |              |          |            |                |



**RFQ NUMBER** : 2492500865

**DATE** : 18.12.2025

**REQ No** : 1172501423

**REQ TITLE** : Tools & Machineries for Machi

**DELIVERY LOCATION**: 0022 - M STORES, JAPS

**CLOSING DATE** : 24.12.2025

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION  | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL<br>PRICE |
|-------|-----------|------------|--|-----|-----|--------------|----------|------------|----------------|
|       |           |            | TORQUE 900 NM NO LO<br>AD RPM 4500 SOCKET HOLDER 1/2" SQUARE<br>WEIGHT 5.6KGS  |     |     |              |          |            |                |
| 9     | 700000007 |            | WRENCH; IMPACT; PNEUMATIC; 1/2 IN DRIVEPNEUMATIC 1/2" PROFESSIONAL IMPACT WRENCH WITH DIFFERENT DRIVE OPTIONSMAX TORQUE 900 NM NO LO AD RPM 4500 SOCKET HOLDER 1/2" SQUARE WEIGHT 5.6KGS   | 1   | EA  |              |          |            |                |
| 10    | 700000007 |            | KEMPI 200 AMP HF SINGLE PHASE WELDING MACHINEMODEL:- MIT223DCMLPGM, MAINS CONNECTION VOLTAGE 220240 V ±10 %, MAINS CONNECTION VOL TAGE (MV LOW RANGE) 110120 V ±10 %, MAINSCONNECTION PHASES 1~50/60 HZ, MAINS CONNECTION CABLE TYPE 3G, H07RN-F, MAINS CONNECTION C ABLE SIZE 2.5 MM², MAXIMUM SUPPLY CURRENT [I1MAX] 25A, MAXIMUM SUPPLY CURRENT (@MV LOW RANGE) [I1MAX] 23 A, STICK ELECTRODEDIAMETER 1.6MM TO 4MM, # ARC STRIKING VOLTAGE 11KV, # MACHINE SIZELENGTH 461MM WIDTH 202MM | 1   | EA  |              |          |            |                |



**RFQ NUMBER** : 2492500865

**DATE** : 18.12.2025

**REQ No** : 1172501423

REQ TITLE : Tools & Machineries for Machi

**DELIVERY LOCATION**: 0022 - M STORES, JAPS

**CLOSING DATE** : 24.12.2025

| SL NO | ITEM CODE  | SERVICE ID | DESCRIPTION   | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL<br>PRICE |
|-------|------------|------------|---|-----|-----|--------------|----------|------------|----------------|
|       |            |            | HEIGHT 367,# MACHINE WEIGHT 9.6KG   |     |     |              |          |            |                |
| 11    | 7000000007 |            | DRILL BIT RESHARPENERTO SHARPEN DIA 3 TO<br>DIA 80MM DRILLS SUSH AS STANDARD TWIST<br>DRILLS, FLATDRILLS, 2 FLUTE & 4 FLUTE CUTTERS   | 1   | EA  |              |          |            |                |
| 12    | 7000000007 |            | MAGNETIC CHUCK FOR MILLING<br>MACHINEPERMANENT MAGNETIC CHUCK SIZE 36"<br>X 12" / RECTANGULAR   | 1   | EA  |              |          |            |                |
| 13    | 7000000007 |            | CORDLESS HAND GRINDER / PLUMBINGBATTERY<br>OPERATED CORDLESS ANGLE GRINDER WHEEL<br>DIAMETER 100MM / 4" NOLOAD RPM 8500 NET<br>WEIGHT 2.2 KGS<br>MAKITA BOSCH OR EQUIVALENT | 1   | EA  |              |          |            |                |
| 14    | 7000000007 |            | CORDLESS HAND GRINDER / PLUMBINGBATTERY OPERATED CORDLESS ANGLE GRINDER WHEEL DIAMETER 100MM / 4" NOLOAD RPM 8500 NET WEIGHT 2.2 KGS MAKITA BOSCH OR EQUIVALENT             | 1   | EA  |              |          |            |                |
| 15    | 7000000007 |            | ELECTRIC RECIPROCATING SAW WITH SAWSCORDED RECIPROCATING SAW WITH STROKE LENGTH OF 1 TO 1.25 INCHES OR ASPER THE MODEL WITH 200 STRO KES PER MINUTE WEIGHT AROUND 4 - 5     | 1   | EA  |              |          |            |                |





**RFQ NUMBER** : 2492500865

**DATE** : 18.12.2025

**REQ No** : 1172501423

REQ TITLE : Tools & Machineries for Machi

**DELIVERY LOCATION**: 0022 - M STORES, JAPS

**CLOSING DATE** : 24.12.2025

CLOSING TIME : 10:00:00

| SL NO | ITEM CODE  | SERVICE ID | DESCRIPTION  | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL<br>PRICE |
|-------|------------|------------|--|-----|-----|--------------|----------|------------|----------------|
|       |            |            | LBSKEYLESS BLADE CLAMPS FOR QUICK BLADE CHANGE   |     |     |              |          |            |                |
| 16    | 7000000007 |            | ELECTRIC RECIPROCATING SAW WITH SAWSCORDED RECIPROCATING SAW WITH STROKE LENGTH OF 1 TO 1.25 INCHES OR ASPER THE MODEL WITH 200 STRO KES PER MINUTE WEIGHT AROUND 4 - 5 LBSKEYLESS BLADE CLAMPS FOR QUICK BLADE CHANGE | 1   | EA  |              |          |            |                |

TOTAL AMOUNT IN WORDS: TOTAL AMOUNT:

#### **SPECIAL NOTES / INSTRUCTIONS:**

Tools <(>&<)> Machineries for Machine Shop - Plant 2 Support Service

Contact Details - Dhananjay Balasaheb Abhale

<(><<)>dhananjay.abhale@dewa.gov.ae>

04-3224513/050-3054244

Dayanandan Kundathil <(><<)>Dayanandan.K@dewa.gov.ae> 0553899876

#### **STANDARD TERMS & CONDITIONS**





**RFQ NUMBER** : 2492500865

**DATE** : 18.12.2025

**REQ No** : 1172501423

**REQ TITLE** : Tools & Machineries for Machi

**DELIVERY LOCATION**: 0022 - M STORES, JAPS

**CLOSING DATE** : 24.12.2025

CLOSING TIME : 10:00:00

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.
- 6)Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer.

If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements

The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.



**RFQ NUMBER** : 2492500865

**DATE** : 18.12.2025

**REQ No** : 1172501423

REQ TITLE : Tools & Machineries for Machi

**DELIVERY LOCATION**: 0022 - M STORES, JAPS

**CLOSING DATE** : 24.12.2025

**CLOSING TIME** : 10:00:00

SUPPLIER'S REMARKS:

SUPPLIER'S SIGNATURE AND STAMP