

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2492600008  
**DATE** : 05.01.2026  
**REQ No** : 1172501482  
**REQ TITLE** : Hydraulic pump & air driven p  
**DELIVERY LOCATION** : 0012 - D REPOWER, JAPS  
**CLOSING DATE** : 09.01.2026  
**CLOSING TIME** : 10:00:00

| SL NO | ITEM CODE  | SERVICE ID | DESCRIPTION  | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|------------|------------|--|-----|-----|--------------|----------|------------|-------------|
| 1     | 7000000020 |            | ELECTR. OPERATED HYDRAULIC PUMP; MODEL: TPE25A CAPACITY: UP TO 700 BAR, INCLUDING ANALOGUE PRESSURE GAUGE, BONDED TWIN HOSE SET (HTWH 6)-6 METERS LENGTH WITH QUICK CONNECT COUPLERS; REMOTE HAND PENDENT CONTROLLER WITH 5 METERS CABLE; FACTORY FITTED ROLL BAR PROTECTION AND CARRYING FRAME LOW NOISE OPERATION (<88DB), FITTED WITH ONE SET OF QUICK CONNECT COUPLERS, AUTOMATICALLY ACTIVATED OIL COOLING HEAT EXCHANGER,ADJUSTABLE TORQUE SETTING PRESSURE RELIEF VALVE WITH LOCLING NUT, CHOICE OF MANUAL OPERATION WITH AUTO RETRACT OR FULLY AUTOMATIC OPERATION, MULTI-OUTLET 4-WAY SPLIT BLOCK FOR SIMULTANANEOUS OPERATION OF UP TO 4 TORQUE WRENCHES, INPUT POWER SUPPLY: 230V -1PH-50 HZ, GAUGE READING BAR/PSI, RATE: 700 BAR, OIL CAPACITY 7 LITRES, MAX. OIL TEMPERATURE 80°C, DIMENSIONS (L X W X H): 456 | 1   | EA  |              |          |            |             |

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2492600008  
**DATE** : 05.01.2026  
**REQ No** : 1172501482  
**REQ TITLE** : Hydraulic pump & air driven p  
**DELIVERY LOCATION** : 0012 - D REPOWER, JAPS  
**CLOSING DATE** : 09.01.2026  
**CLOSING TIME** : 10:00:00

| SL NO | ITEM CODE  | SERVICE ID | DESCRIPTION   | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|------------|------------|---|-----|-----|--------------|----------|------------|-------------|
|       |            |            | X 286<br>X 476 MM, WEIGHT 39 KG, MAKE:H-FORCE/UK  |     |     |              |          |            |             |
| 2     | 7000000020 |            | AIR DRIVEN HYDRO-TEST PUMP; MODEL: AHP 107, INTEGRAL INLET AIRFILTRATION AND LUBRICATION UNIT WITH AIR PRESSURE GAUGE, MAXIMUM AIRCO<br>NSUMPTION OF 0.79 M3 (28 SCFM) PER MINUTE AT 7 BAR, LIGHTWEIGHTPLASTIC, 7.5 LITRES CAPACITY, FLUID RESERVOIR, ROBUST POWDER COATEDST<br>AINLESS STEEL PROTECTIVE FRAME. INFINITELY VARIABLE OUTPUT PRESSUREAND FLUID DISPLACEMENT SPEED, INTEGRAL INLET AIR FILTRATION ANDLU<br>BRICATION UNIT WITH AIR PRESSURE GAUGE, AIRLINE REGULATOR FOR EASYSETTING OF INPUT AIR AND OUTPUT HYDRAULIC PRESSURE, SMOOTH AND EAS<br>ILYOPERATED HYDRAULIC PRESSURE HOLD AND RELEASE VALVE, FITTED WITH INPUTAIR PUMP START/STOP VALVE FOR EASY AND FAST PRESSURE SHUT OF F, FLUIDVOLUME DISPLACEMENT PER STROKE 4 | 1   | EA  |              |          |            |             |

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2492600008  
**DATE** : 05.01.2026  
**REQ No** : 1172501482  
**REQ TITLE** : Hydraulic pump & air driven p  
**DELIVERY LOCATION** : 0012 - D REPOWER, JAPS  
**CLOSING DATE** : 09.01.2026  
**CLOSING TIME** : 10:00:00

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION   | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|-----------|------------|---|-----|-----|--------------|----------|------------|-------------|
|       |           |            | CM3, OUTLET PORT THREAD 1/2 INCH NPT,OIL CAPACITY 7.5 LITRES, DIMENSIONS (L X W X H): 450 X 395 X 395 MM,WEIGHT 20 KG, MAKE: H-FORCE/UK |     |     |              |          |            |             |

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

**SPECIAL NOTES / INSTRUCTIONS:**

Hydraulic pump <(>&<>) air driven pump

**STANDARD TERMS & CONDITIONS**

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.
- 6) Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

|                          |                                 |
|--------------------------|---------------------------------|
| <b>RFQ NUMBER</b>        | : 2492600008                    |
| <b>DATE</b>              | : 05.01.2026                    |
| <b>REQ No</b>            | : 1172501482                    |
| <b>REQ TITLE</b>         | : Hydraulic pump & air driven p |
| <b>DELIVERY LOCATION</b> | : 0012 - D REPOWER, JAPS        |
| <b>CLOSING DATE</b>      | : 09.01.2026                    |
| <b>CLOSING TIME</b>      | : 10:00:00                      |

of the Employer.

If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements

The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

**SUPPLIER'S REMARKS :**

**SUPPLIER'S SIGNATURE AND STAMP**