

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2492600044  
**DATE** : 12.01.2026  
**REQ No** : 1172501438  
**REQ TITLE** : HYDRAULIC HAND PALLET  
**DELIVERY LOCATION**  
**CLOSING DATE** : 16.01.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	7000000008		HYDRAULIC HAND PALLET TRUCKCAPACITY: 3TFORK LENGTH: 950 - 1150 MMFORK WIDTH (OVERALL): 450 - 650 MMLIFTING HEIGHT: 195-205 MMMAKE: SALESBRIDGES, BOVENAU, CROWN, STANLEY OR EQUIVALENT	1	EA				
2	7000000008		HIGH PRESSURE CLEANERMODEL- HD 10/25-4 S CLASSIC (1.367-402.0)DESCRIPTIONTHE HD 10/25-4 S CLASSIC COLD WATER HIGH-PRESSURE CLEANER H AS BEENDESIGNED FOR DAILY USE IN TOUGH CONDITIONS AND NEVER FAILS TO IMPRESSWITH ITS EXTREME POWER. IT STANDS OUTFROM THE CROWD WITH ITS SOLID CONSTRUCTION AND ITS ROBUST STEEL FRAME.IT IS EASY AND INTUITIVE TO SET UP, AND QUICK AND HASSLE-FREE TOOPERATE. ALL THE IMPORTANT PARTS CAN BEACCESSED QUICKLY AND EASILY. THE SUPER CLASS HIGH PRESSURE CLEANER ISFITTED WITH THE CLASSIC HIGH-PRESSURE GUN FOR MACHINES IN THE HD CLASSICRANGE.IT	1	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2492600044  
**DATE** : 12.01.2026  
**REQ No** : 1172501438  
**REQ TITLE** : HYDRAULIC HAND PALLET  
**DELIVERY LOCATION**  
**CLOSING DATE** : 16.01.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			<p>ALSO HAS A PREMIUM EASY!LOCK QUICK-RELEASE FASTENER. THIS MAKES IT FIVE TIMES QUICKER TO SET UP AND PUT AWAY, SAVING YOU TIME AND HASSLE. AN INTEGRATED WATER FILTER RELIABLY PROTECTS THE HIGH PRESSURE PUMP FROM DIRT PARTICLES AND CONTAMINANTS, THEREBY EXTENDING THE MACHINE'S SERVICE LIFE. A POWERFUL CRANKSHAFT PUMP AND HARD-WEARING MATERIALS ARE THE BACKBONE OF THE HIGH PRESSURE CLEANER: WITH A CYLINDER HEAD MADE FROM BRASS AND PISTONS WITH CERAMIC SLEEVES. THE PRESSURE CAN BE ADJUSTED AS NECESSARY ON THE PUMP. THE 4-POLE LOW- SPEED MOTOR WITH AIR-WATER COOLING SYSTEM FOR LONG-LASTING AND RELIABLE OPERATION. TECHNICAL DATA</p> <p>ILS- SUPPLY VOLTAGE: 3 / 376 # 424 / 50 PH / V / HZ- WORKING PRESSURE: 60 # 250 BAR- FLOW RATE: 500 # 1000 L/H- INLET TEMPERATURE: 60 °C- CONNECTED LOAD: 8.8 KW- NOZZLE SIZE: 045-</p>						

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2492600044  
**DATE** : 12.01.2026  
**REQ No** : 1172501438  
**REQ TITLE** : HYDRAULIC HAND PALLET  
**DELIVERY LOCATION**  
**CLOSING DATE** : 16.01.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			<p>COLOUR: ANTHRACITE- WEIGHT (WITH ACCESSORIES): 68 KG- WEIGHT INCL. PACKAGING: 75.903</p> <p>KG- DIMENSIONS (L X W X H): 720 X 637 X 1060</p> <p>MMINCLUDES ACCESSORIES -# PISTOL TR 155°C WITH PACKAGE (4.119-002.0) - HIGH-QUALITY CLASSICSPRAY GUN WITH ROBUST VALVE. ALSO SUITABLE FOR KÄRCHER HOT WATERHIGH-PRESSURE CLEANERS.# POWER NOZZLE 25°, 050 (2.113-023.0) - FAN JET NOZZLE WITH 25° SPRAYANGLE, SUITABLE FOR LARGE AREAS AND REMOVING STUBBORN DIRT AND STAINS.# HIGH-PRESSURE HOSE, 20 M, ID 8, 315 BAR, 2 X EASY!LOCK (6.110-032.0)20 M HIGH-PRESSURE HOSE (M 22 X 1.5) WITH KINK PROTECTION.WITH PATENTED ROTATING AVS TRIGGER GUN CONNECTOR AND MANUAL COUPLING.FURTHER DATA: DN 8/155°C/315 BARTECHNICAL DETAILS- ID: ID 8- TEMPERATURE: MAX. 155 °C- MAX. PRESSURE: 315 BAR- LENGTH: 20 M- CONNECTION THREAD:</p>						

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2492600044  
**DATE** : 12.01.2026  
**REQ No** : 1172501438  
**REQ TITLE** : HYDRAULIC HAND PALLET  
**DELIVERY LOCATION**  
**CLOSING DATE** : 16.01.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			2 X EASY!LOCK						

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

### **SPECIAL NOTES / INSTRUCTIONS:**

HYDRAULIC HAND PALLET TRUCK <(>&<)> HIGH-PRESSURE CLEANER for  
Maintenance works at K stn Desal.

Contact details: Abdulla Almarri  
Abdulla.abdulsalam@dewa.gov.ae  
043226547

### **STANDARD TERMS & CONDITIONS**

- Prices should be 'DDP' delivery duty paid at DEWA stores.
- Quotation to be submitted only in local currency U.A.E Dirhams
- DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2492600044  
**DATE** : 12.01.2026  
**REQ No** : 1172501438  
**REQ TITLE** : HYDRAULIC HAND PALLET  
**DELIVERY LOCATION**  
**CLOSING DATE** : 16.01.2026  
**CLOSING TIME** : 10:00:00

6)Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by theSupplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer.

If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements  
The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

**SUPPLIER'S REMARKS :**

**SUPPLIER'S SIGNATURE AND STAMP**